

# Hybrid Chinese Cabbage

## W-R 70 Days



**DESCRIPTION:** Moderate head height, medium green external color with a white interior, head weight approximately 5.5 lbs., barrel-shaped Napa type

**MATURITY:** Early, approximately 60 days after sowing

**VARIETY CHARACTERISTICS:** This variety is slow to bolt and has moderate heat tolerance, can be sown in spring. Recommended growing season is fall to early winter. W-R 70 Days has resistance to Virus, Downy mildew, leaf spot and bacterial soft rot.

**ADAPTABILITY:** California (San Joaquin Valley)

### FEATURES

- Slow to bolt
- High resistance to disease

### BENEFITS

- Harvest flexibility
- Reduced pesticide use

Note: Chinese Cabbage requires vernalization. Bud differentiation and bolting results from low temperatures of 5°C for a week or 10°C for two weeks. For spring harvest, transplant seedlings with 5-7 true leaves raised at 23-24°C during the day and over 12°C at night. Providing plants with adequate water and fertilizer after transplanting will promote faster growth.

Descriptions, illustrations, photos and disease resistance, etc. are based upon the results obtained under favorable conditions and certain races of pathogens/diseases. Identical results are not guaranteed nor implied for all growing conditions. Information is based on average data compiled. Physical characteristics, adaptability and disease tolerance may vary under different conditions. Rev C